











HOW to D esign Efficient R equirement

COMPANY PROFILE


- How Der is a Taiwanese company with over 40 years experience in professional terminal block & cross jumper manufacturing.
- 25 years of R&D experience, self-owned plastic injection workshop, QC, assembling team and packaging facilities; and they are all in Taiwan.
- Expert in OEM / phenolic material / thermoplastic injection-molding production.
- Excellent Quality Control. Products are certified with TUV and UL.





P.C.B. Terminal Blocks

Pitch 2.5mm		Pitch 3.5mm	
TS-506R	TS-506L	HD-351	HD-352
			
			
Poles: 2, 3 Pole Rating: 20A, 300V Wire Range: 12-24 AWG	Poles: 2, 3 Pole Rating: 20A, 300V Wire Range: 12-24 AWG	Poles: 2~28 Pole Rating: 10A, 300V Wire Range: 16-24 AWG	Poles: 2~28 Pole Rating: 10A, 300V Wire Range: 16-24 AWG
			Pitch 3.81mm
HD-352R	HD-352L	HD-354	HD-381
			
			
Poles: 2~28 Pole Rating: 10A, 300V Wire Range: 16-24 AWG	Poles: 2~28 Pole Rating: 10A, 300V Wire Range: 16-24 AWG	Poles: 2~28 Pole Rating: 10A, 300V Wire Range: 16-24 AWG	Poles: 2~28 Pole Rating: 10A, 300V Wire Range: 16-24 AWG
			Pitch 5.0mm
HD-382	HD-382R	HD-382L	TS-501
			
			
Poles: 2~28 Pole Rating: 10A, 300V Wire Range: 16-24 AWG	Poles: 2~28 Pole Rating: 10A, 300V Wire Range: 16-24 AWG	Poles: 2~28 Pole Rating: 10A, 300V Wire Range: 16-24 AWG	Poles: 2, 3 Pole Rating: 10A, 250V Wire Range: 16-22 AWG
TS-502	TS-503	TS-504	TS-505
			
			
Poles: 2, 3 Pole Rating: 10A, 250V Wire Range: 16-22 AWG	Poles: 2, 3 Pole Rating: 20A, 300V Wire Range: 12-24 AWG	Poles: 2, 3 Pole Rating: 15A, 250V Wire Range: 14-18 AWG	Poles: 2, 3 Pole Rating: 15A, 300V Wire Range: 14-22 AWG

P.C.B. Terminal Blocks


Pitch 5.0mm			
TS-506	TS-500A	TS-500BF	TS-500BT
 	 	 	 
Poles: 2, 3 Pole Rating: 20A, 300V Wire Range: 12-24 AWG	Poles: 2, 3 Pole Rating: 20A, 300V Wire Range: 12-24 AWG	Poles: 2, 3 Pole Rating: 20A, 300V Wire Range: 12-24 AWG	Poles: 2, 3 Pole Rating: 20A, 300V Wire Range: 12-24 AWG

TS-500BRF	TS-500BRT	TS-500BLF	TS-500BLT
  15mm	  10mm	  15mm	  10mm
Poles: 2, 3 Pole Rating: 20A, 300V Wire Range: 12-24 AWG	Poles: 2, 3 Pole Rating: 20A, 300V Wire Range: 12-24 AWG	Poles: 2, 3 Pole Rating: 20A, 300V Wire Range: 12-24 AWG	Poles: 2, 3 Pole Rating: 20A, 300V Wire Range: 12-24 AWG


Pitch 5.08mm		Pitch 10mm	
TS-502-8	TS-501-10	TS-502-10	TS-504-10
  	  	  	  
Poles: 2,3 Pole Rating: 10A, 250V Wire Range: 16-22 AWG	Poles: 2 Pole Rating: 10A, 250V Wire Range: 16-22 AWG	Poles: 2 Pole Rating: 10A, 250V Wire Range: 16-22 AWG	Poles: 2 Pole Rating: 15A, 250V Wire Range: 14-18 AWG

Screwless Terminal Blocks


Pitch 2.5mm	Pitch 2.54mm		
HD-261	HD-251	HD-531	HD-532




Poles: 2-24 Pole
Rating: 4A, 300V
Wire Range: 16-20 AWG



Poles: 2-24 Pole
Rating: 5A, 150V
Wire Range: 20-24 AWG



Poles: 2~24 Pole
Rating: 5A, 150V
Wire Range: 20-26 AWG




Poles: 2~24 Pole
Rating: 5A, 150V
Wire Range: 20-26 AWG

Pitch 5.0mm			Pitch 5.08mm
HD-511	HD-512	HA-522	HD-251-A




Poles: 2~24 Pole
Rating: 10A, 300V
Wire Range: 18-22 AWG



Poles: 2~24 Pole
Rating: 10A, 300V
Wire Range: 18-22 AWG




Poles: 2~24 Pole
Rating: 11A, 250V
Wire Range: 18-22 AWG



Poles: 2~12 Pole
Rating: 5A, 150V
Wire Range: 20-24 AWG

			Pitch 7.62mm
HD-531-A	HD-532-A	HD-552-508	HD-511-A




Poles: 2~12 Pole
Rating: 5A, 150V
Wire Range: 20-26 AWG



Poles: 2~12 Pole
Rating: 5A, 150V
Wire Range: 20-26 AWG




Poles: 2~12 Pole
Rating: 20A, 300V
Wire Range: 12-28 AWG





Poles: 2~12 Pole
Rating: 10A, 300V
Wire Range: 18-22 AWG


HD-512-A




Poles: 2~12 Pole
Rating: 10A, 300V
Wire Range: 18-22 AWG

Pluggable Terminal Blocks

Pitch 3.5mm			
HD-516H	HD-516M	HD-516R	HD-516V
			
			
 Poles: 2~24 Pole Rating: 8A, 300V Wire Range: 16-28 AWG	Poles: 2~24 Pole Rating: 8A, 300V Wire Range: 16-28 AWG	 Poles: 2~24 Pole Rating: 8A, 300V	 Poles: 2~24 Pole Rating: 8A, 300V

HD-516HE	HD-516ME	HD-516MTE	HD-516RE
			
			
 Poles: 2~24 Pole Rating: 8A, 300V Wire Range: 16-28 AWG	Poles: 2~24 Pole Rating: 8A, 300V Wire Range: 16-28 AWG	 Poles: 2~24 Pole Rating: 8A, 300V Wire Range: 16-28 AWG	 Poles: 2~24 Pole Rating: 8A, 300V

Pitch 3.81mm			
HD-516VE	HD-517D	HD-517R	HD-517V
			
			
 Poles: 2~24 Pole Rating: 8A, 300V	  Poles: 2~24 Pole Rating: 9A, 300V Wire Range: 14-30 AWG	  Poles: 2~24 Pole Rating: 9A, 300V	  Poles: 2~24 Pole Rating: 9A, 300V

HD-517DE	HD-517RE	HD-517VE
		
		
  Poles: 2~24 Pole Rating: 9A, 300V Wire Range: 14-30 AWG	  Poles: 2~24 Pole Rating: 9A, 300V	  Poles: 2~24 Pole Rating: 9A, 300V

Pluggable Terminal Blocks


Pitch 5.0mm

HD-90H



Poles: 2, 3 Pole
Rating: 12A, 300V
Wire Range: 14-24 AWG

HD-90VN



Poles: 2~24 Pole
Rating: 12A, 300V

HD-515H




Poles: 2~24 Pole
Rating: 12A, 250V
Wire Range: 12-16 AWG

HD-515D




Poles: 2~24 Pole
Rating: 12A, 250V
Wire Range: 12-16 AWG

HD-515M




Poles: 2~24 Pole
Rating: 12A, 250V
Wire Range: 12-16 AWG

HD-515MT




Poles: 2~24 Pole
Rating: 12A, 250V
Wire Range: 12-16 AWG

HD-515R




Poles: 2~24 Pole
Rating: 12A, 250V

HD-515RC




Poles: 2~24 Pole
Rating: 12A, 250V

HD-515V




Poles: 2~24 Pole
Rating: 12A, 250V

HD-515VC




Poles: 2~24 Pole
Rating: 12A, 250V

HD-515F




Poles: 2~24 Pole
Rating: 12A, 250V
Wire Range: 12-16 AWG

HD-515RF



Poles: 2~24 Pole
Rating: 12A, 250V

HD-515VF



Poles: 2~24 Pole
Rating: 12A, 250V

HD-515HE



Poles: 2~24 Pole
Rating: 12A, 250V
Wire Range: 12-16 AWG

HD-515DE



Poles: 2~24 Pole
Rating: 12A, 250V
Wire Range: 12-16 AWG

HD-515ME



Poles: 2~24 Pole
Rating: 12A, 250V
Wire Range: 12-16 AWG

Pluggable Terminal Blocks









Pitch 5.0mm			Pitch 5.08mm
HD-515MTE	HD-515RE	HD-515VE	HD-515H8
			
			
Poles: 2~24 Pole Rating: 12A, 250V Wire Range: 12-16 AWG	Poles: 2~24 Pole Rating: 12A, 250V	Poles: 2~24 Pole Rating: 12A, 250V	Poles: 2~24 Pole Rating: 12A, 250V Wire Range: 12-16 AWG

HD-515R8	HD-515R8C	HD-515V8	HD-515V8C
			
			
Poles: 2~24 Pole Rating: 12A, 250V	Poles: 2~24 Pole Rating: 12A, 250V	Poles: 2~24 Pole Rating: 12A, 250V	Poles: 2~24 Pole Rating: 12A, 250V








Barrier Type Terminal Blocks

Pitch 6.35mm		Pitch 7.62mm	
HD-601	HD-602	FTB-700	FTB-701
			
			
Poles: 2~30 Pole Rating: 10A, 300V Wire Range: 18-22 AWG	Poles: 2~30 Pole Rating: 10A, 300V Wire Range: 14-30 AWG	Poles: 2~30 Pole Rating: 15A, 300V Wire Range: 16-22 AWG	Poles: 2~30 Pole Rating: 15A, 300V Wire Range: 16-22 AW







Barrier Type Terminal Blocks

Pitch 7.62mm			
FTB-702	FTB-703	FTB-704	FTB-705
			
			
			
Poles: 2~30 Pole Rating: 15A, 300V Wire Range: 16-22 AWG	Poles: 2~30 Pole Rating: 15A, 300V Wire Range: 16-22 AWG	Poles: 2~30 Pole Rating: 15A, 300V Wire Range: 16-22 AWG	Poles: 2~30 Pole Rating: 15A, 300V Wire Range: 16-22 AWG
Pitch 8.25mm			FTB-800
FTB-707	FTB-708	FTB-709	
			
			
			
Poles: 2~30 Pole Rating: 15A, 300V Wire Range: 16-22 AWG	Poles: 2~30 Pole Rating: 15A, 300V Wire Range: 16-22 AWG	Poles: 2~30 Pole Rating: 15A, 300V Wire Range: 16-22 AWG	Poles: 2~30 Pole Rating: 20A, 300V Wire Range: 16-22 AWG
FTB-801	FTB-802	FTB-803	FTB-804
			
			
			
Poles: 2~30 Pole Rating: 20A, 300V Wire Range: 16-22 AWG	Poles: 2~30 Pole Rating: 20A, 300V Wire Range: 16-22 AWG	Poles: 2~30 Pole Rating: 20A, 300V Wire Range: 16-22 AWG	Poles: 2~30 Pole Rating: 20A, 300V Wire Range: 16-22 AWG
FTB-805	HD-816	HD-817	HD-818
			
			
			
Poles: 2~30 Pole Rating: 20A, 300V Wire Range: 16-22 AWG	Poles: 2~30 Pole Rating: 20A, 300V Wire Range: 14-18 AWG	Poles: 2~30 Pole Rating: 20A, 300V Wire Range: 14-18 AWG	Poles: 2~30 Pole Rating: 20A, 300V Wire Range: 14-18 AWG

Barrier Type Terminal Blocks

Pitch 8.25mm		Pitch 9.5mm	
HD-818R	HD-819	HI-200	HI-201
			
			
Poles: 2~30 Pole Rating: 20A, 300V Wire Range: 14-18 AWG	Poles: 2~30 Pole Rating: 20A, 300V Wire Range: 14-18 AWG	Poles: 2~30 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~30 Pole Rating: 10A, 250V Wire Range: 14-22 AWG
HI-202	HI-203	HI-204	HI-205
			
			
Poles: 2~30 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~30 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~30 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~30 Pole Rating: 10A, 250V Wire Range: 14-22 AWG
HI-206	HI-206A	HI-207	HI-208
			
			
Poles: 2~30 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~30 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~30 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~30 Pole Rating: 10A, 250V Wire Range: 14-22 AWG
HD-120	HD-121	HD-122	HD-122B
			
			
Poles: 2~24 Pole Rating: 25A, 300V Wire Range: 12-22 AWG	Poles: 2~24 Pole Rating: UL 25A/TUV 32A, 300V Wire Range: 12-22 AWG	Poles: 2~24 Pole Rating: 25A, 300V Wire Range: 12-22 AWG	Poles: 2~24 Pole Rating: 25A, 300V Wire Range: 12-22 AWG

Barrier Type Terminal Blocks

Pitch 9.5mm		Pitch 10mm	
HD-123	HD-124	HD-130	HD-131
			
			
			
Poles: 2~24 Pole Rating: 25A, 300V Wire Range: 12-22 AWG	Poles: 2~24 Pole Rating: 25A, 300V Wire Range: 12-22 AWG	Poles: 2~24 Pole Rating: 22A, 300V Wire Range: 12-22 AWG	Poles: 2~24 Pole Rating: UL 22A/TUV 32A, 300V Wire Range: 12-22 AWG
HD-132	HD-132B	HD-133	HD-134
			
			
			
Poles: 2~24 Pole Rating: 22A, 300V Wire Range: 12-22 AWG	Poles: 2~24 Pole Rating: 22A, 300V Wire Range: 12-22 AWG	Poles: 2~24 Pole Rating: 22A, 300V Wire Range: 12-22 AWG	Poles: 2~24 Pole Rating: 22A, 300V Wire Range: 12-22 AWG
HD-100	HD-101	HD-102	HD-103
			
			
			
Poles: 2~30 Pole Rating: 15A, 250V Wire Range: 14-18 AWG	Poles: 2~30 Pole Rating: 15A, 250V Wire Range: 14-18 AWG	Poles: 2~30 Pole Rating: 15A, 250V Wire Range: 14-18 AWG	Poles: 2~30 Pole Rating: 15A, 250V Wire Range: 14-18 AWG
HD-104	HD-104A	HD-105	HD-106
			
			
			
Poles: 2~30 Pole Rating: 15A, 250V Wire Range: 14-18 AWG	Poles: 2~30 Pole Rating: 15A, 250V Wire Range: 14-18 AWG	Poles: 2~30 Pole Rating: 15A, 250V Wire Range: 14-18 AWG	Poles: 2~30 Pole Rating: 15A, 250V Wire Range: 14-18 AWG

Barrier Type Terminal Blocks

Pitch 10mm			
HD-107	HD-108	PL-10-O	PL-10-A
			
			
Poles: 2~30 Pole Rating: 15A, 250V Wire Range: 14-18 AWG	Poles: 2~30 Pole Rating: 15A, 250V Wire Range: 14-18 AWG	Poles: 2~26 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~26 Pole Rating: 10A, 250V Wire Range: 14-22 AWG
PL-10-B	PL-10-C	PL-10-D	PL-10-E
			
			
Poles: 2~26 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~26 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~26 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~26 Pole Rating: 10A, 250V Wire Range: 14-22 AWG
PL-10-F	PL-10-G	PL-10-H	Pitch 11mm HD-300
			
			
Poles: 2~26 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~26 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~26 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~30 Pole Rating: 25A, 300V Wire Range: 12-22 AWG
HD-301	HD-302	HD-303	HD-304
			
			
Poles: 2~30 Pole Rating: 25A, 300V Wire Range: 12-22 AWG	Poles: 2~30 Pole Rating: 25A, 300V Wire Range: 12-22 AWG	Poles: 2~30 Pole Rating: 25A, 300V Wire Range: 12-22 AWG	Poles: 2~30 Pole Rating: 20A, 300V Wire Range: 12-22 AWG

Barrier Type Terminal Blocks

Pitch 11mm			
HD-304-L5	HD-305	HD-307	HD-140
			
			
Poles: 2~30 Pole Rating: 20A, 300V Wire Range: 12-22 AWG	Poles: 2~30 Pole Rating: 25A, 300V Wire Range: 12-22 AWG	Poles: 2~30 Pole Rating: 25A, 300V Wire Range: 12-22 AWG	Poles: 2~22 Pole Rating: 35A, 300V Wire Range: 10-18 AWG

HD-141	HD-142	HD-143	HD-143B
			
			
Poles: 2~22 Pole Rating: 35A, 300V Wire Range: 10-18 AWG	Poles: 2~22 Pole Rating: 35A, 300V Wire Range: 10-18 AWG	Poles: 2~22 Pole Rating: 35A, 300V Wire Range: 10-18 AWG	Poles: 2~22 Pole Rating: 35A, 300V Wire Range: 10-18 AWG

Pitch 13mm		Pitch 13mm	
HD-144	HD-145	HD-150	HD-151
			
			
Poles: 2~22 Pole Rating: 30A, 300V Wire Range: 10-20 AWG	Poles: 2~22 Pole Rating: 30A, 300V Wire Range: 10-20 AWG	Poles: 2~24 Pole Rating: 50A, 300V Wire Range: 8-20 AWG	Poles: 2~24 Pole Rating: 50A, 300V Wire Range: 8-20 AWG

HD-152	HD-153	HD-154	HD-155
			
			
Poles: 2~24 Pole Rating: 50A, 300V Wire Range: 8-20 AWG	Poles: 2~24 Pole Rating: 47A, 300V Wire Range: 8-20 AWG	Poles: 2~24 Pole Rating: 50A, 300V Wire Range: 8-20 AWG	Poles: 2~24 Pole Rating: 47A, 300V Wire Range: 8-20 AWG

Closed Barrier Type Terminal Blocks

Pitch 6.35mm			
HD-611	HD-612	HD-613	HD-614
			
			
Poles: 2~30 Pole	Poles: 2~30 Pole	Poles: 2~30 Pole	Poles: 2~30 Pole
Rating: 13A, 250V	Rating: 13A, 250V	Rating: 13A, 250V	Rating: 13A, 250V
Wire Range: 18-22 AWG	Wire Range: 18-22 AWG	Wire Range: 18-22 AWG	Wire Range: 18-22 AWG
Pitch 8.25mm			
HD-615	HD-831	HD-832	HD-833
			
			
Poles: 2~30 Pole	Poles: 2~30 Pole	Poles: 2~30 Pole	Poles: 2~30 Pole
Rating: 13A, 250V	Rating: 20A, 300V	Rating: 20A, 300V	Rating: 20A, 300V
Wire Range: 18-22 AWG	Wire Range: 14-22 AWG	Wire Range: 14-22 AWG	Wire Range: 14-22 AWG
Pitch 9.5mm		Pitch 9.5mm	
HD-834	HD-835	HB-951	HB-952
			
			
Poles: 2~30 Pole	Poles: 2~30 Pole	Poles: 2~30 Pole	Poles: 2~30 Pole
Rating: 20A, 300V	Rating: 20A, 300V	Rating: 10A, 250V(UL), 15A, 250V(CSA)	Rating: 10A, 250V(UL), 15A, 250V(CSA)
Wire Range: 14-22 AWG	Wire Range: 14-22 AWG	Wire Range: 14-22 AWG	Wire Range: 14-22 AWG
Pitch 11mm		Pitch 11mm	
HB-955	HB-956	HD-331	HD-332
			
			
Poles: 2~30 Pole	Poles: 2~30 Pole	Poles: 2~30 Pole	Poles: 2~30 Pole
Rating: 15A, 250V	Rating: 15A, 250V	Rating: 30A, 300V	Rating: 30A, 300V
Wire Range: 14-22 AWG	Wire Range: 14-22 AWG	Wire Range: 12-22 AWG	Wire Range: 12-22 AWG

Closed Barrier Type Terminal Blocks





Pitch 11mm			
HD-333	HD-337	HD-34A	HD-341
			
			
Poles: 2~30 Pole Rating: 30A, 300V Wire Range: 12-22 AWG	Poles: 2~30 Pole Rating: 15A, 250V Wire Range: 14-22 AWG	Poles: 2~12 Pole	Poles: 2~12 Pole Rating: 30A, 300V Wire Range: 10-18 AWG



HD-342	HD-343	HD-344
		
Poles: 2~12 Pole Rating: 30A, 300V Wire Range: 10-18 AWG	Poles: 2~12 Pole Rating: 30A, 300V Wire Range: 10-18 AWG	Poles: 2~12 Pole Rating: 30A, 300V Wire Range: 10-18 AWG


Phenolic Type Terminal Blocks

Pitch 10mm			
FTB-10-O	FTB-10-A	FTB-10-B	FTB-10-C
			
			
Poles: 2~24 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~24 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~24 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~24 Pole Rating: 10A, 250V Wire Range: 14-22 AWG

Phenolic Type Terminal Blocks

Pitch 10mm			
FTB-10-D	FTB-10-E	FTB-10-F	FTB-10-G
			
			
			
Poles: 2~24 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~24 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~24 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~24 Pole Rating: 10A, 250V Wire Range: 14-22 AWG

Pitch 11mm			
FTB-10-H	HD-320A	HD-320	HD-321
			
			
Poles: 2~24 Pole Rating: 10A, 250V Wire Range: 14-22 AWG	Poles: 2~24 Pole Rating: 20A, 250V Wire Range: 12-18 AWG	Poles: 2~22 Pole Rating: 20A, 250V Wire Range: 12-18 AWG	Poles: 2~22 Pole Rating: 20A, 250V Wire Range: 12-18 AWG

HD-322	HD-323	HD-324	HD-325
			
			
			
Poles: 2~22 Pole Rating: 20A, 250V Wire Range: 12-18 AWG	Poles: 2~22 Pole Rating: 20A, 250V Wire Range: 12-18 AWG	Poles: 2~22 Pole Rating: 20A, 250V Wire Range: 12-18 AWG	Poles: 2~22 Pole Rating: 20A, 250V Wire Range: 12-18 AWG

HD-326	HD-327	HD-328
		
		
Poles: 2~22 Pole Rating: 20A, 250V Wire Range: 12-18 AWG	Poles: 2~22 Pole Rating: 20A, 250V Wire Range: 12-18 AWG	Poles: 2~22 Pole Rating: 20A, 250V Wire Range: 12-18 AWG

Phenolic Type Terminal Blocks

Pitch 9.5mm	Pitch 11mm	Pitch 14mm
HD-10A	HD-20A	HD-30A
		
		
Poles: 2~24 Pole	Poles: 2~24 Pole	Poles: 2~22 Pole
Rating: 10A, 250V	Rating: 20A, 250V	Rating: 40A, 600V
Wire Range: 14-18 AWG	Wire Range: 12-18 AWG	Wire Range: 10-18 AWG

Dual Level Type Terminal Blocks

Pitch 7.62mm	Pitch 8.25mm		Pitch 9.52mm
HD-74	HD-841	HD-842	HD-941
			
	 	 	
			
Poles: 2~30 Pole	Poles: 2~28 Pole	Poles: 2~28 Pole	Poles: 2~24 Pole
Rating: 15A, 250V	Rating: 20A, 300V	Rating: 20A, 300V	Rating: 20A, 300V
Wire Range: 16-22 AWG	Wire Range: 12-22 AWG	Wire Range: 12-22 AWG	Wire Range: 12-22 AWG

Pitch 9.54mm
HD-97



Poles: 4~20 Pole
Rating: 10A, 300V
Wire Range: 14-22 AWG

Cross Jumper

K-1	K-2	K-3	K-4
			
Rating : 10A	Rating : 10A	Rating : 10A	Rating : 10A

K-5	K-6	K-7	K-8
			
Rating : 10A	Rating : 10A	Rating : 10A	Rating : 10A

K-9	K-11	K-12	K-13
			
Rating : 10A	Rating : 10A	Rating : 10A	Rating: 15A

K-14	K-15	K-17	K-18
			
Rating: 15A	Rating: 15A	Rating : 10A	Rating : 10A

Cross Jumper

K-19	K-21	K-22	K-24
------	------	------	------



Rating : 10A	Rating : 10A	Rating : 10A	Rating : 10A
--------------	--------------	--------------	--------------

K-30	K-31
------	------




Rating : 10A	Rating : 70A
--------------	--------------

Pitch 6.35mm KS-4	Pitch 8.25mm KS-1	Pitch 9.5mm KS-3	Pitch 11mm KS-2
----------------------	----------------------	---------------------	--------------------



Rating : 10A	Rating : 10A	Rating : 10A	Rating : 10A
--------------	--------------	--------------	--------------





厚達電子股份有限公司 HOW DER ELECTRONIC CO., LTD.



- 235602 新北市中和區立德街79號5樓
5F., No. 79, Lide St., Zhonghe Dist., New Taipei City 235602, Taiwan (R.O.C.)
- TEL: +886-2223-1026
- Mob: +886-903-5068-77
- <http://www.howder-tw.com>
- (Overseas) E-mail: overseas@howder-tw.com
(Taiwan) E-mail: info@howder-tw.com

